



Revised
VERSION
from Q1 2024

PRODUCT INFORMATION

VS ENVI[®] FLEX

OUTSTANDINGLY STYLISH IN EVERY DRAWER.

Waste sorting is a matter of great importance and has a fixed place in our lives. The ideal waste sorting system fits in standard drawers of all types and sizes.


Thanks to its precisely fitting frame, nothing escapes and the bins are held securely in place, ensuring that waste disposal remains a tidy and hygienic pleasure for a long time to come.

Significantly fewer parts are installed in the revised version of our tried-and-tested waste sorting system. The impressive result: VS ENVI® Flex is even more economical, environmentally friendly and lighter than the previous version.

Convenience in daily use




Hygienic waste disposal



Containers do not budge while opening and closing



Additional storage surface & odour protection, thanks to integrated metal cover plate



Easy removal and emptying




ATTRACTIVE OFFER FOR RETAILERS



- \ Greater selection of variants than previous model
- \ Larger container volumes
- \ Attractive customer price

MAXIMUM EASE OF ASSEMBLY

- \ Fewer complex components and less weight
- \ Quick and easy to install
- \ Frame is installed using supports on the rear base and front of the drawer



The support bracket clip can be inserted horizontally or upright. This reduces the number of parts to a minimum.



Technical details

installation depth:

Flex XS-216

Flex XS-256

Flex

Flex Pro

Minimum installation depth

(Inside dimension drawer) 400 mm


Flex XS-216 S

Flex XS-256 S

Flex S

Minimum installation depth

(Inside dimension drawer) 310 mm




Colours:



lava



silver







A MUST-HAVE WASTE DISPOS

C 400

C 450





C 500

VS ENVI® Flex XS-216
Bin height:
216 mm







VS ENVI® Flex XS-216 S

VS ENVI® Flex XS-256
Bin height:
256 mm






VS ENVI® Flex XS-256 S

VS ENVI® Flex
Bin height:
326 mm



VS ENVI® Flex S


VS ENVI® Flex Pro
Bin height:
426 mm



FOR CLEAN SAL


Find an overview of available variants and sizes here.
Product introduced with bin heights 326 and 426, subsequent expansion with more container heights 216 mm & 256 mm.

C 600





VS ENVI® Flex XS-216 S




C 800








C 900



VS ENVI® Flex XS-256 S



VS ENVI® Flex S





FURTHER INFORMATION AS WELL AS INSTALLATION INSTRUCTIONS AND VIDEOS:

WWW.VAUTH-SAGEL.COM

CONTACT: VS@VAUTH-SAGEL.COM

LAST UPDATED APRIL 2023

© BY VAUTH-SAGEL | ALL RIGHTS RESERVED

